

Standard Direct Impingement AR-15 Parts Check List

UPPER RECEIVER COMMON PARTS

1. Select (1) of the following UPPER RECEIVER options:		
Check	Part	Notes
Вох		
	Complete Upper Receiver with Barrel, or	
	Complete Upper Receiver Without Barrel (Choose barrel	
	separately), or	
	Stripped Upper Receiver (Choose barrel separately).	

2.	If choosing to begin with a STRIPPED UPPER RECEIVER, then	choose either 2A, 2B, or 2C
2A) Cho	oose (1) of the following COMPLETE UPPER RECEIVER PARTS K	(ITS, or
Check	Part	Notes
Вох		
	Complete Upper Receiver Parts Kit	
2B) Cho	oose (1 each) of the following Complete subassemblies, or	
Check	Part	Notes
Box		
	Ejection Port Cover Kit	
	Forward Assist Kit	
	Charging Handle Kit	
	oose (1 each) of the following individual parts.	1
Check	Part	Notes
Box		
	Ejection Port Cover	
	Ejection Port Cover Spring	
	Ejection Port Cover Pin	
	Ejection Hinge Pin Snap Ring	
	Forward Assist Button	
	Pawl Pin	
	Forward Assist Pawl Detent	
	Forward Assist Pawl Detent Spring	
	Forward Assist Pawl	
	Forward Assist Spring	
	Forward Assist Retainer Pin	
	Charging Handle	
	Charging Handle Latch	
	Charging Handle Spring	
	Charging Handle Spring Pin	



A1, A2 & A3 SIGHTS

1. Choo	ose (1) an A1 REAR SIGHT, then choose either 1A or 1B:	
1A) Choose (1) of the following A1 REAR SIGHT KITS, or		
Check	Part	Notes
Вох		
	Complete A1 Sight Kit	
1B) Cho	oose (1 each) of the following individual parts.	
Check	Part	Notes
Box		
	Sight Windage Drum	
	Base Spring Pin	
	Sight Detent	
	Sight Detent Spring	
	Rear Flat Sight Spring	
	Sight Aperture	
	Sight Windage Screw	
1C) If a	n A1 Front Sight is desired, choose (1) of the following COMPL	ETE A1 FRONT SIGHTS:
Check	Part	Notes
Вох		
	A1 Front Sight Post w/5 detents and round post	

2. If ch	oosing an A2 REAR SIGHT, then choose either 2A or 2B and	2C:	
2A) Cho	2A) Choose (1) of the following COMPLETE A2 SIGHT KITS, or		
Check	Part	Notes	
Box			
	Complete A2 Sight Kit		
2B) Cho	oose (1 each) of the following individual parts and 2C		
Check	Part	Notes	
Вох			
	Windage Knob		
	Windage Pin		
	Sight Base		
	Windage Screw		
	Rear Sight Spring		
	Rear Sight		
	Base Spring Pin		
	Elevation Knob		
	Elevation Wheel		
	Elevation Spring		



	Index Screw	
2C) Cho	oose (3 each) of the following individual parts.	
Check	Part	Notes
Вох		
	Index Springs	
	Sight Balls	
2D) If a	n A2 Front Sight is desired, choose (1) of the following COMPL	ETE A2 FRONT SIGHTS:
Check	Part	Notes
Box		
	A2 Front Sight Post w/4 detents and square post	
	noosing sights for a flattop receiver:	
	oose from the following SIGHT options:	
Check	Part	Notes
Box		
	Optics	
	Spare Batteries	
	Rings	
	Flattop Riser Mount	
	Carry Handle with Rear Sight	
	Lens Covers	
	Detachable Rear Sight	
	Front Sight is desired, choose (1) of the following FRONT SIGH	TS:
Check	Part	Notes
Box		
	Front Sight	

BARREL COMPONENTS

1. Select (1) of the following BARREL options:		
Check	Part	Notes
Вох		
	Barrel with Mil-Spec front sight housing installed	
	Barrel without Mil-Spec front sight housing installed	

2. If a FREE FLOAT HANDGUARD is desired:		
Choose	(1 each) of the following components:	
Check	Part Notes	
Вох		
	Free Float Handguard	
	Gas Tube of proper length	
	Gas Block if not supplied with barrel	
	Gas Tube Roll Pin	



Front Sight optional	
Sling Swivel optional	
Flash Hider or Compensator if not supplied with barrel	
Lock Washer, Peel Washer, Locknut, or Crush Washer if	
required	

3. If a 2	-PIECE HANDGUARD is desired, Choose either 3A or 3B and 3	8 C .
3A) Cho	oose (1 each) of the COMPLETE DELTA RING ASSEMBLY, or	
Check	Part	Notes
Box		
	Delta Ring Assembly, Complete	
	oose (1 each) of the following individual DELTA RING compon	ents and 3C.
Check	Part	Notes
Вох		
	Barrel Nut	
	Slip Ring Spring Assembly	
	Handguard Slip Ring	
	Handguard Retainer Ring	
3C) Cho	oose (1 each or as otherwise indicated) of the following comp	onents:
Check	Part	Notes
Box		
	Handguard Cap if not supplied with barrel	
	2-Piece Handguard	
	Gas Tube of proper length	
	Gas Tube Pin	
	(1 each or as otherwise indicated) of the following compone	ents:
Check	Part	Notes
Вох		
	Gas Block or Front Sight Housing if not supplied with barrel	
	Taper Pins if installing a Front Sight Housing (Choose2)	
	Forward Sling Swivel	
	Forward Sling Swivel Pin	
	Flash Hider or Compensator if not supplied with barrel and	
	barrel is threaded	
	Lock Washer, Peel Washer, Locknut, or Crush Washer <i>if</i> required	

BOLT & BOLT CARRIER COMPONENTS

1. If cho	1. If choosing a BOLT & CARRIER, Choose either 1A or 1B or 1C		
1A) Choose (1) of the following PREASSEMBLED BOLT/CARRIER GROUP, or			
Check	Check Part Notes		



Box		
	Preassembled Bolt/Carrier Group	
1B) Cho	bose (1 each) of the following individual components, or 1C.	
Check	Part	Notes
Box		
	Bolt Assembly	
	Carrier Assembly	
1C) Cho	oose (1 each unless otherwise indicated) of the following indi	vidual components.
Check	Part	Notes
Вох		
	Bolt, Stripped	
	Ejector	
	Ejector Spring	
	Ejector Roll Pin	
	Extractor	
	Extractor Pin	
	Extractor Spring	
	Extractor Buffer, Black	
	Gas Ring (Choose 3) or 1-Piece Gas Ring	
	Bolt Carrier, Stripped	
	Bolt Carrier Cam Pin	
	Bolt Carrier Key	
	Bolt Carrier Key Screws (Choose 2)	
	Firing Pin	
	Firing Pin Retainer Pin	

LOWER RECEIVER COMMON PARTS

1. Select one (1) of the following LOWER RECEIVER options:		
Check	Part	Notes
Вох		
	Complete Lower Receiver with Buttstock	
	Complete Lower Receiver without Buttstock Don't forget	
	the buttstock	
	Stripped Lower Receiver	

2. If choosing to begin with a STRIPPED LOWER RECEIVER, then choose either 2A, 2B, or 2C:		
2A) Ch	oose (1) of the following COMPLETE LOWER RECEIVER PARTS I	KITS, or
Check	Part	Notes
Вох		
	Complete Lower Receiver Parts Kit	
2B) Cho	oose (1 each) of the following COMPLETE SUBASSEMBLIES, or	



Check Box	Part	Notes
	Trigger Kit of correct pin size, .154" or .171"	
	Bolt Catch Kit	
	Magazine Catch Kit	
	Pistol Grip Kit	
	Pivot Pin Kit of correct pin size, .250" or .312"	
	Take Down Pin Kit	
	Fire Control (Safety) Selector Kit	
	Triggerguard Kit	
	Buffer Retainer	
	Buffer Retainer Spring	
2C) Cho	ose (1 each unless otherwise indicated) of the following indiv	vidual parts.
Check	Part	Notes
Вох		
	Hammer/Trigger Pin of correct size, .154" or .171" (Choose	
	2)	
	Trigger	
	Trigger Spring	
	Disconnector	
	Disconnector Spring	
	Hammer with J Hook Spring	
	Bolt Catch Spring	
	Bolt Catch Plunger	
	Bolt Catch	
	Bolt Catch Pin	
	Magazine Catch	
	Magazine Release Button Spring	
	Magazine Catch Button	
	Pistol Grip	
	Pistol Grip Lock Washer	
	Pistol Grip Screw	
	Pin Detents (Choose 2)	
	Pin Detent Springs (Choose 2)	
	Pivot Pin of correct size, .154" or .171"	
	Take Down Pin	
	Fire Control Selector	
	Fire Control Spring	
	Fire Control Detent	
	Triggerguard	
	Triggerguard Pivot Pin	
	Triggerguard Pin	
	Triggerguard Spring	
	Triggerguard Plunger	
	Buffer Retainer	



Buffer Retainer Spring

BUTTSTOCK COMPONENTS

1. lf a C	COLLAPISBLE BUTTSTOCK is desired, choose either 1A or 1B:	
1A) Cho	oose (1) of the following COMPLETE COLLAPSIBLE BUTTSTOCK	KITS, or
Check Box	Part	Notes
	Collapsible Buttstock Kit, Complete	
1B) Cho	oose (1 each) of the following COLLAPSIBLE BUTTSTOCK indivi	dual components:
Check Box	Part	Notes
	Collapsible Buttstock, Only	
	Buffer Assembly of correct type for stock and caliber	
	Lower Receiver Extension Tube of correct length and diameter	
	Action Spring of the correct length for stock type	
	Receiver End Plate	
	Receiver Extension Nut	
	Action Spring of the correct length for stock type	
	Receiver End Plate	
	Receiver Extension Nut	
-	ese parts are typically preassembled on the Collapsible Buttsto hoosing.	ock, but be sure they are included
Check Box	Part	Notes
	Release Lever	
	Lock Pin Nut	
	Lock Pin Retainer Roll Pin	
	Lock Release Lever Pin Spring	
	Lock Release Lever Pin	
	Sling Swivel (Not required for CAR-15 Stocks)	
	Sling Swivel Screw (Not required for CAR-15 Stocks)	

2. If a F	IXED BUTTSTOCK is desired, choose either 2A or 2B:	
2A) Cho	oose (1) of the following COMPLETE FIXED BUTTSTOCK KITS, o	r
Check	Part	Notes
Вох		
	Fixed Buttstock Kit, Complete	
2B) Cho	oose (1 each) of the following FIXED BUTTSTOCK individual cor	nponents:
Check	Part	Notes
Box		



	Fixed Buttstock only	
	Buffer Assembly of correct type for stock and caliber	
	Lower Receiver Extension Tube of correct length and	
	diameter	
	Action Spring of the correct length for stock type	
	Buttstock Spacer For A2 stocks only	
2C) The	ese parts are typically preassembled on the Fixed Buttstock, b	ut be sure they are included when
choosi	ng.	
Check	Part	Notes
Вох		
	Buttstock Screw (A-1 or A-2)	
	Butt Stock Door	
	Butt Stock Door Hinge	
	Door Hinge Pin	
	Butt Stock Door Plunger	
	Butt Stock Door Plunger Retainer Pin	
	Butt Stock Plunger Spring	
	Sling Swivel	